



Field termination plug, Actassi, RJ45, STP, Cat6A

ACTPG6ATLS001

! Discontinued on: 15 Jun 2023

① Discontinued

Main

Range	Actassi	
Product brand	Schneider Electric	
product type	Plug	
Device presentation	Complete product	
Colour tint	Metallic (metal and plastic)	
Wiring Colour configuration	TIA-568A/B	
Type of packing	Individual bag	
Quantity per set	1	

Complementary

Connector type	RJ45	
AWG gauge	AWG 26AWG 22 solid cable AWG 26AWG 22 stranded cable	
Cable outer diameter	69 mm	
compatible LAN cable types	STP	
Communication network category	6A	
supported applications	10GBASE-T	
protocols	4PPoE 100W (Power over Ethernet)	
Product compatibility	RJ45 modular jack	
Height	14 mm	
Length	45 mm	
Width	14 mm	
Net weight	0.020 kg	
Targeted region	Asia Pacific. Europe United States.	

Environment

operational temperature range	-1060 °C
Ambient air temperature for storage	-2060 °C
Flame retardance	UL94-V0

Standards IEC 60603-7

ANSI/TIA/EIA-568-B ISO/IEC 11081 AS/NZS 3080

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	7.000 cm
Package 1 Length	10.000 cm
Package 1 Weight	22.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	48
Package 2 Height	13.300 cm
Package 2 Width	13.300 cm
Package 2 Length	18.200 cm
Package 2 Weight	1.129 kg
Unit Type of Package 3	S02
Number of Units in Package 3	192
Package 3 Height	15.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	4.851 kg

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Total lifecycle Carbon footprint	1
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture		
End of life manual availability	No need of specific recycling operations	
Take-back	No	
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	