

# active harmonic filter EasyLogic APF module 50A, 400V, wall-mounted, IP20

EZAPF05044W20

# Main

Range	EasyLogic	
Product name	EasyLogic APF	
Product or component type	Active harmonic filter	
Network number of phases	3 phases 3 phases + neutral	
nominal output current	50 A	

# Complementary

Network configuration	3 or 4 wires	
Network rated voltage	240460 V AC	
Network frequency	50 Hz +/- 3 Hz auto sensing 60 Hz +/- 3 Hz auto sensing	
Maximum permissible voltage	1.15 x Un	
Operating mode	Phase harmonic correction Neutral harmonic correction up to 300% unit rating Power factor correction Main load balancing	
THDI	5 %	
Reactive power rating	36 kvar 415 V AC	
Type of installation	Indoor installation	
Mounting mode	Wall-mounted	
Heat dissipation	With forced ventilation	
Electromagnetic compatibility	Electromagnetic emission class A conforming to EN/IEC 61000-6-4 Electromagnetic immunity conforming to EN/IEC 61000-6-2	
Accessibility for operation	Front	
Location of connection	Тор	
Net weight	28 kg	
Height	620 mm	
Width	507 mm	
Depth	185 mm	
Colour	Grey (Pantone 1C)	

# **Environment**

Environmental characteristic	Operating: 3C2 conforming to IEC 60721-3-3 Operating: 3S6 conforming to IEC 60721-3-3 Storage: 3C3 conforming to IEC 60721-3-3 Storage: 3S7 conforming to IEC 60721-3-3	
IP degree of protection	IP20	
Operating altitude	<= 1500 m	
Ambient air temperature for operation	-1040 °C	
Derating factor	1 % per 100 m 4045 °C > 15003700 m Without derating 4045 °C 90 % of In 4550 °C	
Relative humidity	090 %	
PCBA protection	Conformal coated	
Standards	IEC 62477-1 EN 61000-6-2 EN 61000-6-4 IEEE 519-2014 ISO 9001	
Product certifications	CE	
Ambient air temperature for storage	-2070 °C	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	38.7 cm
Package 1 Width	58.7 cm
Package 1 Length	66.2 cm
Package 1 Weight	36 kg
Unit Type of Package 2	P12
Number of Units in Package 2	2
Package 2 Height	90.3 cm
Package 2 Width	80 cm
Package 2 Length	120 cm
Package 2 Weight	86 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Total lifecycle Carbon footprint	61867
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	
EU RoHS Directive	Compliant with Exemptions	
REACh Regulation	REACh Declaration	
Halogen-free status	Halogen free plastic parts product	

### **Use Again**

○ Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

# **Technical Illustration**

# **Dimensions**

